





ICON LEGEND



Products are manufactured using Proguard technology.



Products are manufactured using PG Plus technology.



Products are able to be installed as permeable paving stones.



Product falls under drycast product warranty.



Product falls under wetcast product warranty.



To prevent cosmetic damage, do not use de-icing agents.



Use of a plate or roller compactor is recommended. If using a plate, a protective pad should be used to protect the paving surface.



The use of compaction equipment is not recommended and may void warranty.



WALLS & COLUMNS



OUTDOOR LIVING



POOLSIDES




WALKWAYS & STAIRWAYS



PATIOS



DRIVEWAYS






PAVING STONES0	4
CLARION0	8
GRANDVIEW™1	0
HOLLAND PROGUARD1	2
LIGONIER PG PLUS1	
MARMIRO STONES®1	
STRATFORD PROGUARD1	
PROGUARD & PG PLUS1	9
WALLS2	0
CASTLEROK®24	4
COUNTRY STONE2	
ROSETTA® GRAND LEDGE2	
ROSETTA® KODAH3	0
ROSETTA® OUTCROPPING3	2
VERSA-LOK® STANDARD3	4
VERSA-LOK® HARMONY3	6
VERSA-LOK® SQ. FT. BLOCK3	
MAGNUMSTONE®3	8
CAPS & COPING4	0
C CAPS & C-2 CAPS4	
DOUBLE BULLNOSE CAPS4	4
LIMESTONE COLUMN CAPS4	5
MARMIRO STONES® CAPS4	6
ROSETTA® DIMENSIONAL COPING4	7
STEPS & STEPPING STONES4	8
CABIN ROCK™5	0
LANDING STONE5	1
ROSETTA® DIMENSIONAL STEPS5	
ROSETTA® IRREGULAR STEPS5	4
AMPUS.COM5	6
AMPUS TRAINING PROGRAM5	8
DGING ACCENTS6	
PRODUCT RESOURCES6	
DESIGN SOFTWARE62	
COLOR SWATCH QUICK REFERENCE6	
PRODUCT WARRANTY6	
100 YEARS6	5



PAVING STONES

CLARION	
GRANDVIEW	^M
HOLLAND PR	OGUARD12
LIGONIER PG	PLUS14
MARMIRO STO	ONES®1 &
STRATFORD P	ROGUARD18
PROGUARD &	PG PLUS19









CLARION













8" x 8" x 2 ³/8"



CONTAINED IN PALLET



BLACK WALNUT


RIDGETOP





The colors of products shown are for reference only. Actual colors may vary.





GRANDVIEWTM









12" x 18" x 2 ³/8" 99 sq. ft. / pallet 2,732 lbs. / pallet



12" x 12" x 2 3/8" 6" x 12" x 2 3/8"



PLAZA 18" x 18" x 2 ³/8" 99 sq. ft. / pallet 2,732 lbs. / pallet

























ONLY AVAILABLE IN SMOOTH

The colors of products shown are for reference only. Actual colors may vary.





HOLLAND PROGUARD











PROGUARD: 3 15/16" x 7 7/8" x 2 3/8" 105 sq. ft. / pallet 2,920 lbs. / pallet 3 1/8" thick by special order.



PG PLUS: 3 15/16" x 7 7/8" x 2 3/8" Soldier: 90 In. ft. / 1/2 pallet Sailor: 180 In. ft. / 1/2 pallet 58.3 sq. ft. / 1/2 pallet 1,622 lbs. / 1/2 pallet















LIGHT BROWN

The colors of products shown are for reference only. Actual colors may vary.





LIGONIER PG PLUS















5" x 7 1/4" x 2 3/8"



5" x 6 1/4" x 2 3/8"



5" x 5" x 2 3/8"



ONLY AVAILABLE IN PG PLUS HALF-PALLETS. The colors of products shown are for reference only. Actual colors may vary.





MARMIRO STONES® - PAVERS





8" FRENCH PATTERN 8" x 8" x 1 ³/16" • 8" x 16" x 1 ³/16" 16" x 16" x 1 ³/16" • 16" x 24" x 1 ³/16" 144 sq. ft. / crate • 2,410 lbs. / crate




8" x 8" x 1 ³/16" • 8" x 16" x 1 ³/16" 16" x 16" x 1 ³/16" • 16" x 24" x 1 ³/16" 176 sq. ft. / crate • 2,860 lbs. / crate

Available Colors: Takoma Silver



CREMA EDA®
ANTIQUED MARBLE





















STRATFORD PROGUARD



PROGUARD: 6 1/4" x 9 3/8" x 2 3/8" 111 sq. ft. / pallet 3,004 lbs. / pallet



PROGUARD: 6 1/4" x 6 1/4" x 2 3/8" 104 sq. ft. / pallet 2,815 lbs. / pallet



PROGUARD: 4 ⁹/16" x 6 ¹/4" x 2 ³/8" 91 sq. ft. / pallet 2,460 lbs. / pallet



PG PLUS: 6 1/4" x 9 3/8" x 2 3/8" Soldier: 78 In. ft. / 1/2 pallet Sailor: 117 In. ft. / 1/2 pallet 61.7 sq. ft. / 1/2 pallet 1,670 lbs. / 1/2 pallet



PG PLUS: 4 °/16" x 6 ¹/4" x 2 ³/8" Soldier: 93 In. ft. / ¹/2 pallet Sailor: 127.5 In. ft. / ¹/2 pallet 50.5 sq. ft. / ¹/2 pallet 1,370 lbs. / ¹/2 pallet



Five Shapes & Sizes 64 sq. ft. / pallet 1,732 lbs. / pallet



DESERT







ONLY AVAILABLE IN PG PLUS HALF-PALLETS.



PROGUARD

PG PLUS





SMOOTHER SURFACE TEXTURE AND WEAR RESISTANCE WITH PROGUARD

Proguard is an R.I. Lampus Company proprietary mix design and production process with a tight, attractive surface that more closely resembles natural stone. This manufacturing process combines a traditional base mixture of coarse aggregates with a surface mixture of fine, durable materials. In addition to durability, the surface layer keeps the larger aggregates from exposure over the life of the paver, making Proguard pavers significantly more wear resistant.





SCAN THIS QR CODE TO VIEW OUR PROGUARD VIDEO

IPHONE: USE YOUR CAMERA APP ANDROID: USE ANY QR CODE READER APP



ENHANCED SURFACE PROTECTION AND BOLDER COLORS WITH PG PLUS

As an addition to the Proguard system, PG Plus incorporates integral admixtures and an in-line treatment that is applied during the manufacturing process. This affords you longer-lasting benefits, unlike topical sealers applied after installation. The application of this integral system allows for bolder colors, fade resistance, stain resistance, and greater protection from environmental effects like acid rain. In addition to the direct product benefits, you can also rest easy knowing that PG Plus is an environmentally friendly, water-based system.





SCAN THIS QR CODE TO VIEW OUR PG PLUS VIDEO

iPHONE: USE YOUR CAMERA APP ANDROID: USE ANY QR CODE READER APP













CASTLEROK®





9"- 6" x 8" x 4" 90 units / pallet 22.5 face sq. ft. / pallet 1,710 lbs. / pallet



ANTHRACITE
















The colors of products shown are for reference only. Actual colors may vary.





COUNTRY STONE





12" x 8" x 4" 60 units / pallet 1,860 lbs. / pallet




















The colors of products shown are for reference only. Actual colors may vary.





ROSETTA® GRAND LEDGE







18 sq. ft. / pallet

4,000 lbs. / pallet



60" x 20" x 12"

- CONTAINED IN PALLET





48" x 20" x 12" 36" x 20" x 12"



















3,950 lbs. / pallet



54" x 20" x 12" 15 sq. ft. / pallet 3,590 lbs. / pallet 46" x 21" x 12"

FREESTANDING FREESTANDING 43" x 20" x 12" 36" x 20" x 12"

CONTAINED IN PALLET -









ROSETTA® KODAH



21 face sq. ft. / pallet 2,400 lbs. / pallet



30" x 10 1/2" x 6"



CONTAINED IN PALLET -

21" x 10 1/2" x 6"



12" x 10 1/2" x 6"



21" x 10 1/2" x 6" 31.5 face sq. ft. / pallet 2,400 lbs. / pallet



51" (+/-) x 18" fire pit
27" x 18" steel insert (INCLUDED)
2,400 lbs. / pallet
(FULL PALLET OF CORNERS)





MOUNTAIN RUSTIC





ROSETTA® OUTCROPPING











Various Heights: 6", 12", 18", & 24" 18 face sq. ft. / pallet

4,000 lbs. / pallet







48" x 30" x 12" One 12" & One 6" / pallet 1,650 lbs. / pallet CONTAINED IN PALLET ----

39" x 27" x 6"







The colors of products shown are for reference only. Actual colors may vary.





VERSA-LOK® STANDARD









HALF CORNER 12" x 8" x 6" 48 units / pallet 2,100 lbs. / pallet



FULL RETURN CORNER 16" x 8" x 6" 36 units / pallet 2,280 lbs. / pallet



WEATHERED STANDARD 16" x 12" x 6"



WEATHERED HALF CORNER 12" x 8" x 6"



WEATHERED FULL RETURN CORNER 16" x 8" x 6"

WEATHERED PRODUCT IS SPECIAL ORDER ONLY.



ALLEGHENY



















The colors of products shown are for reference only. Actual colors may vary.





VERSA-LOK® HARMONY



STANDARD 16" x 12" x 6" 24 units / pallet 1.5 units / sq. ft. 2,100 lbs. / pallet



COBBLE 8" x 12" x 6" 48 units / pallet 3 units / sq. ft. 1,872 lbs. / pallet



WEATHERED STANDARD 16" x 12" x 6"



WEATHERED COBBLE 8" x 12" x 6"

WEATHERED PRODUCT IS SPECIAL ORDER ONLY.



ALLEGHENY









VERSA-LOK® SQ. FT. BLOCK





18" x 12" x 8" 24 units / pallet 2,256 lbs. / pallet



CORNER: 12" x 6" x 8" 36 units / pallet 1,730 lbs. / pallet




BLACK WALNUT














MAGNUMSTONE®



BASE BLOCK W 48" x D 25" x H 24" 2 units / pallet 2,590 lbs. / pallet



STANDARD BLOCK W 48" x D 25" x H 24" 2 units / pallet 2,540 lbs. / pallet



W 48" x D 25" x H 24" 2 units / pallet 2,440 lbs. / pallet



W 47" x D 23" x H 24" 2 units / pallet 3,400 lbs. / pallet Left & Right Available Base Units Available



FULL RETURN CORNER UNIVERSAL END CORNER W 4"-9" x D 28" x H 24" 2 units / pallet 540 lbs. / pallet



HALF-HIGH BASE W 48" x D 25" x H 12" 2 units / pallet 1,290 lbs. / pallet



HALF-HIGH STANDARD W 48" x D 25" x H 12" 2 units / pallet 1,270 lbs. / pallet



HALF-HIGH TOP W 48" x D 25" x H 12" 2 units / pallet 1,180 lbs. / pallet



HALF-HIGH END CORNER W 4"-9" x D 28" x H 12" 4 units / pallet 512 lbs. / pallet Left & Right Available HALF-HIGH FREESTANDING UNITS ARE ALSO AVAILABLE (2-SIDED & 3-SIDED END).



STEP / CAP W 48" x D 24" x H 6" 6 units / pallet 3,480 lbs. / pallet




NATURAL

Visit LAMPUS.COM for more fitting information. The colors of products shown are for reference only. Actual colors may vary.









C CAPS & C-2 CAPS





C CAPS 16" x 12" x 3 ⁵/8" 48 units / pallet 2,700 lbs. / pallet



C-2 CAPS 16" x 13" x 3 ⁵/8" Split on both sides 36 units / pallet 2,160 lbs. / pallet



WEATHERED C CAPS 16" x 12" x 3 5/8"



WEATHERED C-2 CAPS 16" x 13" x 3 ⁵/8" Split on both sides

WEATHERED PRODUCT IS SPECIAL ORDER ONLY.



























*C-2 CAPS STOCK COLORS The colors of products shown are for reference only. Actual colors may vary.





DOUBLE BULLNOSE CAPS





6" x 13" x 2 ³/8" 78 units / pallet 1,170 lbs. / pallet





LIMESTONE COLUMN CAPS





MARMIRO STONES® COPING



24" x 12" x 2 1/4" 64 lbs. / unit Available Colors: Afyon Cloud®, Crema Eda®, Deep Blue®, Terra



BULLNOSE 24" x 12" x 2" 64 lbs. / unit



CREMA EDA®
ANTIQUED MARBLE







TAKOMA SILVER ANTIQUED TRAVERTINE

TERRA ANTIQUED TRAVERTINE



ROSETTA® DIMENSIONAL COPING







24" x 12 1/2" x 2 1/2" 63 ln. ft. / pallet 2,000 lbs. / pallet



18" x 12 1/2" x 2 1/2"



END: 19" x 12 1/2" x 2 1/2"

CONTAINED IN PALLET -















CABIN ROCK™



54" x 22" x 3" 4 units / pallet 853 lbs. / pallet



42" x 26" x 3"



48" x 28" x 3"



48" x 24" x 3"

CONTAINED IN PALLET -



CHARCOAL

MOUNTAIN RUSTIC



LANDING STONE







48" x 30" x 7" 1 unit / pallet 880 lbs. / pallet





The colors of products shown are for reference only. Actual colors may vary.





ROSETTA® DIMENSIONAL STEPS







48" x 18" x 7" 4 units / pallet 1,820 lbs. / pallet





72" x 30" x 7" 2 units / pallet 2,640 lbs. / pallet



L MOUNTAIN RUSTIC

The colors of products shown are for reference only. Actual colors may vary.





ROSETTA® IRREGULAR STEPS

















72" x 29" x 7"



72" x 29" x 7"

54" x 22" x 7" 4 units / pallet 2,013 lbs. / pallet

- CONTAINED IN PALLET -

48" x 24" x 7"

3 units / pallet 3,900 lbs. / pallet

CONTAINED IN PALLET -





The colors of products shown are for reference only. Actual colors may vary.

N I N AMPUS

INSPIRATION AT YOUR FINGERTIPS























PINTEREST TWITTER





We are pushing industry development to a new level with our expansive training center. We offer learning opportunities for hardscapes and masonry in an effort to help grow and strengthen our industry. With support ranging from classroom presentations to hands-on trainings, you can gain new perspectives and real-world experience to keep your teams informed and prepared for success.

Can't make it to our location? We also have on-site training opportunities available. Call us, or email marketing@lampus.com for more information.

INVEST IN YOUR TEAM!

"Lampus is on the forefront of servicing and supporting the contractor by being in the trenches, literally, with the Lampus Training Center and On-site Support Program." Gerry Garcia - Rosetta Hardscapes





Comfortable Classroom Setting



Real World Hands-On Training



On-Site Training Opportunities





FULL RETURN CORNERS

SHOWN: Each Full Return Corner is installed with the split face vertical.




COUNTRY STONE

SHOWN: Each Country Stone is split in half resulting in two 6"x8"x4" units.



ROSETTA® KODAH

SHOWN: Kodah Corners are installed like the base course of a wall.




FULL RETURN CORNERS

SHOWN: Each Full Return Corner is installed like the base course of a wall.



COUNTRY STONE

SHOWN: Each Country Stone is split in half resulting in two 4"x12"x4" units.



CASTLEROK®

SHOWN: Each Castlerok® is installed vertically, alternating the wedges.

NOTE: There are several options for setting and restraining these edging styles. We typically recommend either a typical plastic edge restraint or fiber reinforced concrete edge restraint to make sure these edging options stay in place. Base material will be a determining factor in edge restraint selection. For more detailed instructions visit our Resource Library.



HARDSCAPE CATALOG



PRODUCT WARRANTY



CMHA TECH SPEC GUIDE



GRAND LEDGE INSTALLATION



VERSA-LOK® INSTALLATION



PRODUCT SPEC GUIDES



GRANDVIEW™ SPEC GUIDE



VERSA-LOK® SPEC GUIDE



OUTCROPPING SPEC GUIDE



ROSETTA® STEP SPEC GUII




VERSA-LOK® SQ. FT. CORNER



DOUBLE BULLNOSE GUIDE



FIRE PIT GUIDE



FIREPLACE GUIDE



CROSS SECTIONS



SCAN THIS QR CODE TO VISIT OUR RESOURCE LIBRARY

Whether you are a seasoned installer or a DIY enthusiast, having the right information readily available can simplify any job. Over the years, we have curated and refined our resource library to provide key information about our products in one convenient location.

Our library includes product-specific installation instructions, detailed palletization guides, technical specifications, and much more! Think of our resource library as your go-to on-line destination for all things hardscape.







Project designed in Realtime Landscaping Architect.

Using 3D design software to conceptualize a project is an invaluable tool for planning, determining dimensions, estimating required materials, and helping homeowners visualize their outdoor living dreams before starting a new project.

We offer a wide range of product textures specifically designed for use in digital design software. Our products are included in Idea Spectrum's Realtime Landscaping Architect, and we are excited to announce that they are now available for download from the SketchUp 3D Warehouse.



GRANDVIEW™ **ALLEGHENY ECLIPSE BLACK WALNUT DESERT NEWPORT** SIERRA SLATE WHITE BIRCH RIDGETOP GRANDVIEW™ SMOOTH ONLY **VERSA-LOK® ALLEGHENY BLACK WALNUT** CLIFFSIDE **DESERT ECLIPSE** SLATE **NEWPORT SARATOGA SIERRA** WHITE BIRCH **ROSETTA®**

OUTCROPPING

CHARCOAL

OUTCROPPING MOUNTAIN RUSTIC

GRAND LEDGE CHARCOAL **GRAND LEDGE**

MOUNTAIN RUSTIC

REF ш

KODAH MOUNTAIN RUSTIC

KODAH

CHARCOAL

R.I. Lampus Company guarantees that all dry-cast wall and paving stone products meet or exceed the requirements of ASTM C-1372 for walls and ASTM C-936 for paving stones. This warranty is limited to the original purchaser for residential applications installed and maintained according to R.I. Lampus Company installation guidelines or industry standards. Damage sustained as a result of improper installation or design, chemical application, excessive loading, or other misuse is expressly excluded from this warranty. This also includes limestone screenings/dust used as a setting bed underneath paving stones/slabs. Should any dry-cast product prove defective, it will be replaced without cost. Replacement labor and shipping costs are not included in this guarantee. Proof of purchase is required. Retain the warranty tag with batch information for all claims.

R.I. Lampus Company specifically disclaims any warranty relative to color, color consistency, or texture due to natural material variations. Color matching of any replacement units cannot be guaranteed. Efflorescence, a white deposit, common on concrete and masonry surfaces, is a natural occurrence and no warranty or liability is expressed or implied for this condition.

Wet-cast products, including Rosetta® Hardscape Products, are backed by a lifetime warranty from the manufacturer to the original end user for products used in residential applications. This assurance of product quality is applicable where products have been correctly installed to manufacturer's specifications or industry standards. Any properly installed hardscape material that deteriorates due to the concrete in the product not meeting the design strength specification will be replaced by the manufacturer of the product. Replacement labor and shipping costs are not included in this guarantee. Proof of purchase is required. Retain the warranty tag with batch information for all claims. The following items are not covered by this warranty: color variances and the appearance of surface stains resulting from chemical reactions such as efflorescence or differential curing, damage caused by installation, deterioration caused by de-icing salts or fertilizers, damage resulting from sub-grade settlement or movement, hairline cracks that do not affect the structural performance of the products, spalling of less than three percent of the surface area, contact with chemicals or paint, discoloration due to airborne contamination, staining, oxidation, or improper sealing.

COLOR DISCLAIMER

The colors of products shown in this catalog are to be used as representations or guidelines only. The photographic and printing processes are not fully capable of reproducing exact colors of all products. Colors may also change from production run to production run. All products are not warranted as always available in all locations, and R.I. Lampus Company may change, amend, add, or discontinue any product shape or color at the sole discretion of R.I. Lampus Company with no prior notification. Not all colors are available in all shapes. Check with the sales department for availability.

To assure random color distribution, it is recommended that individual blocks be mixed from different pallets on the job site. Actual product colors may vary slightly. We recommend that products be viewed at your local distributor location. Special order colors are available upon request.

PRODUCT MAINTENANCE

The face of retaining walls can be stained due to mineral and moisture laden soil in the backfill area as well as from the environment. Cleaners and sealers are available for routine wall maintenance.

Cleaners and sealers are available for surface enhancements and protection when necessary. Any concrete products used for stair tread applications may require a protective sealant to resist adverse effects of de-icing agents.

Snow can be shoveled or plowed from pavers as readily as other pavements. High strength, low absorption R.I. Lampus Company pavers are more resistant to de-icing salts than ordinary concretes, but they can still be damaged by intense applications. Sealers will help to protect the surface.


R.I. Lampus Company wishes to express sincere appreciation to those individuals and businesses who contributed to this catalog by permitting photography of their property or job site.

For 100 years, R.I. Lampus Company has been a cornerstone of the local Pittsburgh community, shaping landscapes and building dreams with innovative concrete block and hardscape products. Founded in 1924 by R.I. Lampus, we have proudly remained family-owned for four generations, passing down a legacy of quality craftsmanship and a commitment to serving the region.

Starting with humble beginnings in concrete block production, we have consistently pushed boundaries, introducing new products and techniques to enhance outdoor spaces. Lampus was among the first companies in the USA to pioneer the manufacturing and use of hardscape products, opening up a world of possibilities for homeowners and contractors.

Beyond products, we are deeply invested in the industry and community, actively supporting local builders' associations, industry events, and educational initiatives. Our success is a testament to the hard work and dedication of our employees, past and present, and the continued support of our loyal customers and industry partners.

As we embark on our second century, we look forward to continuing our tradition of service, support, and innovation. With a focus on investing in our employees and customers, we are poised to shape the future of hardscaping in Western Pennsylvania and beyond.





816 R.I. LAMPUS AVENUE, SPRINGDALE, PA 15144

412.362.3800

LAMPUS.COM











