



# HARDSCAPE PRODUCTS SPEC GUIDE

# TABLE OF CONTENTS

---

|                                  |    |
|----------------------------------|----|
| PAVING STONES.....               | 03 |
| CLARION.....                     | 04 |
| GRANDVIEW™ .....                 | 05 |
| GRANDVIEW™ PLAZA.....            | 06 |
| GRANDVIEW™ SMOOTH.....           | 07 |
| GRANDVIEW™ PLAZA SMOOTH.....     | 08 |
| HOLLAND PROGUARD.....            | 09 |
| HOLLAND PG PLUS.....             | 10 |
| LIGONIER PG PLUS.....            | 11 |
| STRATFORD PROGUARD.....          | 12 |
| STRATFORD PG PLUS.....           | 13 |
| STRATFORD PG PLUS CIRCLE.....    | 14 |
| ECO-TEK®.....                    | 15 |
| WALLS.....                       | 16 |
| CASTLEROK®.....                  | 17 |
| COUNTRY STONE.....               | 18 |
| ROSETTA® GRAND LEDGE.....        | 19 |
| ROSETTA® KODAH.....              | 22 |
| ROSETTA® OUTCROPPING.....        | 24 |
| VERSA-LOK® STANDARD.....         | 26 |
| VERSA-LOK® COBBLE.....           | 28 |
| VERSA-LOK® HARMONY.....          | 29 |
| VERSA-LOK® SQ. FT. BLOCK.....    | 30 |
| GEOSTONE.....                    | 31 |
| MAGNUMSTONE®.....                | 32 |
| CAPS & STEPS.....                | 34 |
| C CAPS .....                     | 35 |
| C-2 CAPS.....                    | 36 |
| DOUBLE BULLNOSE CAPS.....        | 37 |
| LIMESTONE COLUMN CAPS.....       | 38 |
| ROSETTA® DIMENSIONAL COPING..... | 39 |
| CABIN ROCK™ .....                | 40 |
| LANDING STONE.....               | 41 |
| ROSETTA® DIMENSIONAL STEPS.....  | 42 |
| ROSETTA® IRREGULAR STEPS.....    | 43 |
| CROSS SECTIONS.....              | 44 |
| PRODUCT WARRANTY.....            | 47 |




# PAVERS



# CLARION

## PALLET OVERVIEW



243 units / pallet  
96 sq. ft. / pallet  
2,640 lbs. / pallet  
9 layers / pallet

## SPECIFICATIONS



8" x 12" x 2 <sup>3</sup>/<sub>8</sub>"  
54 units / pallet  
6 units / layer  
18 lbs. / unit




8" x 8" x 2 <sup>3</sup>/<sub>8</sub>"  
81 units / pallet  
9 units / layer  
12 lbs. / unit




4" x 8" x 2 <sup>3</sup>/<sub>8</sub>"  
108 units / pallet  
12 units / layer  
6 lbs. / unit


## LAYING PATTERNS



RANDOM / NO PATTERN



LINEAR WALKWAY PATTERN



LINEAR FIELD PATTERN

## NOTES



PROGUARD  
FINISH



PLATE  
COMPACTION



DRY-CAST  
WARRANTY

## APPLICATIONS



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR  
LIVING

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.



# GRANDVIEW™

## PALLET OVERVIEW



110 units / pallet  
99 sq. ft. / pallet  
2,732 lbs. / pallet  
11 layers / pallet

\*Permeable Infiltration Rate 120" / hour

## SPECIFICATIONS



18" x 12" x 2 3/8"  
22 units / pallet  
2 units / layer  
41.4 lbs. / unit



12" x 12" x 2 3/8"  
44 units / pallet  
4 units / layer  
27.6 lbs. / unit







6" x 12" x 2 3/8"  
44 units / pallet  
4 units / layer  
13.8 lbs. / unit

### GRANDVIEW™ IS ALSO AVAILABLE IN 80MM (3 1/8")

80 units / pallet - 72 sq. ft. / pallet  
2,568 lbs. / pallet - 8 layers / pallet

18" x 12" x 3 1/8" - 16 units / pallet - 54.1 lbs. / unit  
12" x 12" x 3 1/8" - 32 units / pallet - 36.4 lbs. / unit  
6" x 12" x 3 1/8" - 32 units / pallet - 16.8 lbs. / unit

## LAYING PATTERNS



## NOTES



PROGUARD  
FINISH



PERMEABLE



NO PLATE  
COMPACTION



DRY-CAST  
WARRANTY



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR  
LIVING

## APPLICATIONS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

# GRANDVIEW™ PLAZA

## PALLET OVERVIEW




44 units / pallet  
99 sq. ft. / pallet  
2,732 lbs. / pallet  
11 layers / pallet

## SPECIFICATIONS




18" x 18" x 2 3/8"  
4 units / layer  
62 lbs. / unit


## LAYING PATTERNS




MODULE = 1 GRANDVIEW™ LAYER AND 1 GRANDVIEW™ PLAZA UNIT



MODULE = 2 GRANDVIEW™ LAYERS AND 2 GRANDVIEW™ PLAZA UNITS



GRANDVIEW™ PLAZA "CARPET INLAY"



GRANDVIEW™ PLAZA "STONE WALKWAY"

## NOTES



PROGUARD  
FINISH



PERMEABLE



NO PLATE  
COMPACTION



DRY-CAST  
WARRANTY



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR  
LIVING

## APPLICATIONS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# GRANDVIEW™ SMOOTH

## PALLET OVERVIEW



110 units / pallet  
99 sq. ft. / pallet  
2,732 lbs. / pallet  
11 layers / pallet

\*Permeable Infiltration Rate 120" / hour

## SPECIFICATIONS



18" x 12" x 2 3/8"  
22 units / pallet  
2 units / layer  
41.4 lbs. / unit







12" x 12" x 2 3/8"  
44 units / pallet  
4 units / layer  
27.6 lbs. / unit



6" x 12" x 2 3/8"  
44 units / pallet  
4 units / layer  
13.8 lbs. / unit

## LAYING PATTERNS



## NOTES



PROGUARD  
FINISH



PERMEABLE



NO PLATE  
COMPACTION



DRY-CAST  
WARRANTY



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR  
LIVING

## APPLICATIONS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# GRANDVIEW™ PLAZA SMOOTH

## PALLET OVERVIEW




44 units / pallet  
99 sq. ft. / pallet  
2,732 lbs. / pallet  
11 layers / pallet

## SPECIFICATIONS




18" x 18" x 2 3/8"  
4 units / layer  
62 lbs. / unit


## LAYING PATTERNS




MODULE = 1 GRANDVIEW™ LAYER AND 1 GRANDVIEW™ PLAZA UNIT



MODULE = 2 GRANDVIEW™ LAYERS AND 2 GRANDVIEW™ PLAZA UNITS



GRANDVIEW™ PLAZA "CARPET INLAY"



GRANDVIEW™ PLAZA "STONE WALKWAY"

## NOTES



PROGUARD  
FINISH



PERMEABLE



NO PLATE  
COMPACTION



DRY-CAST  
WARRANTY



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR  
LIVING

## APPLICATIONS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# HOLLAND PROGUARD

## PALLET OVERVIEW



486 units / pallet  
105 sq. ft. / pallet  
2,920 lbs. / pallet  
6 sections / pallet  
17.5 sq. ft. / section  
SOLDIER: 159.5 in. ft. / pallet  
SOLDIER: 26.5 in. ft. / section  
SAILOR: 319 in. ft. / pallet  
SAILOR: 53 in. ft. / section

## SPECIFICATIONS







$3 \frac{15}{16}'' \times 7 \frac{7}{8}'' \times 2 \frac{3}{8}''$   
4.6 units / sq. ft.  
81 units / section  
6 lbs. / unit

### HOLLAND IS ALSO AVAILABLE IN 80MM ( $3 \frac{1}{8}''$ )

432 units / pallet - 82 sq. ft. / pallet  
2,838 lbs. / pallet - 7 layers / pallet  
6 sections / pallet - 13.6 sq. ft. / section  
72 units / section - 7.34 lbs / unit

## LAYING PATTERNS



## NOTES



PROGUARD  
FINISH



PLATE  
COMPACTION



DRY-CAST  
WARRANTY



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR  
LIVING

## APPLICATIONS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# HOLLAND PG PLUS

## PALLET OVERVIEW



270 units / pallet  
58.3 sq. ft. / pallet  
1,622 lbs. / pallet  
5 layers / pallet  
SOLDIER: 90 in. ft. / pallet  
SOLDIER: 18 in. ft. / layer  
SAILOR: 180 in. ft. / pallet  
SAILOR: 36 in. ft. / layer





## SPECIFICATIONS



$3 \frac{15}{16}'' \times 7 \frac{7}{8}'' \times 2 \frac{3}{8}''$   
4.6 units / sq. ft.  
54 units / layer  
6 lbs. / unit

\*Available in 80mm ( $3 \frac{1}{8}''$ )

## LAYING PATTERNS



## NOTES



PROGUARD  
FINISH



PG PLUS  
FINISH



PLATE  
COMPACTION



DRY-CAST  
WARRANTY



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR  
LIVING

## APPLICATIONS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# LIGONIER PG PLUS

## PALLET OVERVIEW



210 units / pallet  
53 sq. ft. / pallet  
1,333 lbs. / pallet  
5 layers / pallet  
125 ln. ft. / pallet  
25 ln. ft. / layer

## SPECIFICATIONS



5" x 8 1/2" x 2 3/8"  
70 units / pallet  
14 units / layer  
7.5 lbs. / unit



5" x 7 1/4" x 2 3/8"  
70 units / pallet  
14 units / layer  
6.5 lbs. / unit



5" x 6 1/4" x 2 3/8"  
35 units / pallet  
7 units / layer  
5.6 lbs. / unit



5" x 5" x 2 3/8"  
35 units / pallet  
7 units / layer  
4.5 lbs. / unit





*Ligonier void space is 8%.*

*50 lb. bag of sand fills approximately 18.5 sq. ft.*

*55 lb. bag of sand fills approximately 20.4 sq. ft.*

*2 lbs. of #8 stone fills approximately 1 sq. ft.*

## LAYING PATTERNS



## NOTES



PROGUARD  
FINISH



PG PLUS



PERMEABLE



PLATE  
COMPACTION



DRY-CAST  
WARRANTY



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS



OUTDOOR  
LIVING


## APPLICATIONS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.




# STRATFORD PROGUARD


## PALLET OVERVIEW



270 units / pallet  
111 sq. ft. / pallet  
3,004 lbs. / pallet  
5 sections / pallet  
22.2 sq. ft. / section  
SOLDIER: 140 ln. ft. / pallet  
SOLDIER: 28 ln. ft. / section  
SAILOR: 211 ln. ft. / pallet  
SAILOR: 42 ln. ft. / section



378 units / pallet  
104 sq. ft. / pallet  
2,815 lbs. / pallet  
7 sections / pallet  
14.8 sq. ft. / section  
197 ln. ft. / pallet  
28 ln. ft. / section



441 units / pallet  
91 sq. ft. / pallet  
2,460 lbs. / pallet  
7 sections / pallet  
14.8 sq. ft. / section  
SOLDIER: 167.5 ln. ft. / pallet  
SOLDIER: 24 ln. ft. / section  
SAILOR: 229.5 ln. ft. / pallet  
SAILOR: 33 ln. ft. / section

## SPECIFICATIONS



6 1/4" x 9 3/8" x 2 3/8"  
2.4 units / sq. ft.  
54 units / section  
10.5 lbs. / unit




6 1/4" x 6 1/4" x 2 3/8"  
3.6 units / sq. ft.  
54 units / section  
7.5 lbs. / unit




4 9/16" x 6 1/4" x 2 3/8"  
4.8 units / sq. ft.  
63 units / section  
5.5 lbs. / unit


## LAYING PATTERNS




PATTERN MODULE = 2 Sq. Ft.  
6x9: 40% 6x6: 40% 4x6: 20%  
\*Percent of total area



PATTERN MODULE = 2.2 Sq. Ft.  
6x9: 75% 6x6: 25%  
\*Percent of total area



PATTERN MODULE = 1.95 Sq. Ft.  
6x9: 42% 6x6: 28% 4x6: 30%  
\*Percent of total area



PATTERN MODULE = 1.5 Sq. Ft.  
6x9: 50% 6x6: 50%  
\*Percent of total area

## NOTES

## APPLICATIONS



PLATE  
COMPACTION



DRY-CAST  
WARRANTY



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR  
LIVING


COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

# STRATFORD PG PLUS

## PALLET OVERVIEW



150 units / pallet  
61.65 sq. ft. / pallet  
1,670 lbs. / pallet  
5 layers / pallet  
SOLDIER: 78 ln. ft. / pallet  
SOLDIER: 15.5 ln. ft. / layer  
SAILOR: 117 ln. ft. / pallet  
SAILOR: 23.5 ln. ft. / layer



245 units / pallet  
50.5 sq. ft. / pallet  
1,370 lbs. / pallet  
5 layers / pallet  
SOLDIER: 93 ln. ft. / pallet  
SOLDIER: 18.5 ln. ft. / layer  
SAILOR: 127.5 ln. ft. / pallet  
SAILOR: 25.5 ln. ft. / layer





## SPECIFICATIONS



6 1/4" x 9 3/8" x 2 3/8"  
2.4 units / sq. ft.  
30 units / layer  
10.5 lbs. / unit

4 9/16" x 6 1/4" x 2 3/8"  
4.8 units / sq. ft.  
49 units / layer  
5.5 lbs. / unit

## LAYING PATTERNS



## NOTES



PROGUARD  
FINISH



PG PLUS  
FINISH



PLATE  
COMPACTION



DRY-CAST  
WARRANTY

## APPLICATIONS



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR  
LIVING

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# STRATFORD PG PLUS CIRCLE

## PALLET OVERVIEW



324 units / pallet  
64 sq. ft. / pallet  
1,732 lbs. / pallet  
6 layers / pallet

## SPECIFICATIONS



3 1/8" x 6 1/4" x 2 3/8"  
6 units / pallet  
1 units / layer



7" - 2 3/4" x 6 1/4" x 2 3/8"  
18 units / pallet  
3 units / layer



5 1/4" - 3 7/8" x 6 1/4" x 2 3/8"  
174 units / pallet  
29 units / layer




3 1/8" x 6 1/4" x 2 3/8"  
6 units / pallet  
1 units / layer



4 5/8" x 6 1/4" x 2 3/8"  
120 units / pallet  
20 units / layer

## LAYING PATTERN



| CIRCLE LAYOUT                        |    |     |     |     |     |     |     |     |      |      |      |
|--------------------------------------|----|-----|-----|-----|-----|-----|-----|-----|------|------|------|
| Course                               | C  | 1   | 2   | 3   | 4   | 5   | 6   | 7   | 8    | 9    | 10   |
| Circle Diameter                      | 6" | 19" | 32" | 45" | 57" | 70" | 83" | 96" | 108" | 121" | 134" |
| 3 1/8" x 6 1/4" x 2 3/8"             | 2  |     |     |     |     |     |     |     |      |      |      |
| 7" - 2 3/4" x 6 1/4" x 2 3/8"        |    | 8   | 8   |     |     |     |     |     |      |      |      |
| 5 1/4" - 3 7/8" x 6 1/4" x 2 3/8"    |    |     |     | 26  | 34  | 21  | 26  | 30  | 34   | 38   | 42   |
| 3 1/8" x 6 1/4" x 2 3/8"             |    |     |     |     |     |     | 2   |     | 1    |      |      |
| 4 5/8" x 6 1/4" x 2 3/8"             |    |     | 8   |     |     | 21  | 24  | 30  | 33   | 38   | 42   |
| *Second pallet equals rows 9 and 10. |    |     |     |     |     |     |     |     |      |      |      |


## NOTES



COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

# ECO-TEK® - PERMEABLE PAVER

## PALLET OVERVIEW



378 units / pallet  
76 sq. ft. / pallet  
2,685 lbs. / pallet  
6 sections / pallet  
12.6 sq. ft. / section  
SOLDIER: 126 ln. ft. / pallet  
SOLDIER: 21 ln. ft. / section  
SAILOR: 252 ln. ft. / pallet  
SAILOR: 42 ln. ft. / section


\*6% Aperture Permeable Infiltration Rate 498" / hour

## SPECIFICATIONS




4" x 8" x 3 1/8"  
4.97 units / sq. ft.  
63 units / section  
7 lbs. / unit

## LAYING PATTERNS




0% APERTURE




6% APERTURE

\*Meets A.D.A. Requirements.



9% APERTURE



35% APERTURE

## NOTES



PLATE  
COMPACTION



PERMEABLE



DRY-CAST  
WARRANTY



PATIOS



WALKWAYS  
& STAIRWAYS



POOLSIDES



DRIVEWAYS



OUTDOOR  
LIVING

## APPLICATIONS


COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.



# WALLS

# CASTLEROK®

## PALLET OVERVIEW



90 units / pallet  
22.5 sq. ft. / pallet  
3 layers / pallet  
1,710 lbs. / pallet





## SPECIFICATIONS



9" - 6" x 8" x 4"  
19 lbs. / unit  
4 units / sq. ft.

## LAYING PATTERNS

- 30" Inside Diameter Fire Pit uses 68 Castlerok® Units (17 block per row over 4 rows).
- This pit is designed to fit our 30" Carbon Steel Insert.
- 24" & 42" Carbon Steel Inserts also available.
- See [lampus.com/resources](http://lampus.com/resources) for more details.



## NOTES



DRY-CAST  
WARRANTY

## CAP OPTIONS



DOUBLE  
BULLNOSE CAPS

## APPLICATIONS



OUTDOOR  
LIVING




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# COUNTRY STONE

## PALLET OVERVIEW







60 units / pallet  
17 sq. ft. / pallet  
3 layers / pallet  
1,860 lbs. / pallet

## SPECIFICATIONS



12" x 8" x 4"  
31 lbs. / unit  
3 units / sq. ft.  
*(per typical installation)*

## LAYING PATTERNS



20" x 20" x 36" Column  
4 block / layer  
9 layers / column  
24" x 24" Column Cap on top

## NOTES



DRY-CAST  
WARRANTY

## CAP OPTIONS



DOUBLE  
BULLNOSE CAPS

## APPLICATIONS



OUTDOOR  
LIVING




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# ROSETTA® GRAND LEDGE

## PALLET OVERVIEW



4 units / pallet  
18 sq. ft. / pallet  
4,000 lbs. / pallet  
24 unique textures

## SPECIFICATIONS



72" x 20" x 12"  
1,350 lbs. / unit  
1 unit / pallet



60" x 20" x 12"  
1,080 lbs. / unit  
1 unit / pallet




48" x 20" x 12"  
890 lbs. / unit  
1 unit / pallet



36" x 20" x 12"  
660 lbs. / unit  
1 unit / pallet

## LAYING PATTERNS



Convex Curves:  
Minimum radius: 20 ft.  
Best fit radius: >30 ft.

Note: Minimum radii shown are based on an average mix of block lengths. Actual radius will depend upon block placement.

Due to the setback between courses of blocks (2.25 inches per course), the radius of convex curves will get smaller towards the top of the wall. It is recommended that you plan your base course layout accordingly due to the tapered ends of the upper courses becoming tighter. The overall radius will decrease as the wall is constructed.

## NOTES



WET-CAST  
WARRANTY

## CAP OPTIONS



GRAND LEDGE  
COPING/FREESTANDING

## APPLICATIONS



OUTDOOR  
LIVING




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.



# ROSETTA® GRAND LEDGE CORNERS

## PALLET OVERVIEW



4 units / pallet  
21 sq. ft. / pallet  
3,950 lbs. / pallet  
4 unique textures

## SPECIFICATIONS



51" x 26" x 12"  
1,280 lbs. / unit  
1 unit / pallet



46" x 21" x 12"  
970 lbs. / unit  
1 unit / pallet



43" x 20" x 12"  
840 lbs. / unit  
1 unit / pallet




35" x 24" x 12"  
850 lbs. / unit  
1 unit / pallet

These Corner blocks are designed for use as corners, top blocks, and step returns.

## LAYING PATTERNS

### 90° OUTSIDE CORNER

- 1 - 51" x 26" x 12"
- 2 - 35" x 24" x 12"
- 3 - 46" x 21" x 12"
- 4 - 43" x 20" x 12"



Overlap Corner blocks, alternating direction each row to break the vertical bond.

## NOTES



WET-CAST  
WARRANTY

## CAP OPTIONS



GRAND LEDGE  
COPING/FREESTANDING

## APPLICATIONS



OUTDOOR  
LIVING




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# ROSETTA® GRAND LEDGE COPING/FREESTANDING

## PALLET OVERVIEW



4 units / pallet  
15 sq. ft. / pallet  
3,590 lbs. / pallet  
4 unique textures

## SPECIFICATIONS



46" x 21" x 12"  
970 lbs. / unit  
1 unit / pallet



43" x 20" x 12"  
840 lbs. / unit  
1 unit / pallet




36" x 20" x 12"  
700 lbs. / unit  
1 unit / pallet



54" x 20" x 12"  
1,080 lbs. / unit  
1 unit / pallet

## LAYING PATTERNS



Note: The Grand Ledge Coping/Freestanding units have a natural stone finish on 5 sides and can be used for corners, top blocks, step returns, and freestanding walls.

## NOTES



WET-CAST  
WARRANTY

## APPLICATIONS



OUTDOOR  
LIVING




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# ROSETTA® KODAH

## PALLET OVERVIEW



18 units / pallet  
Retaining Wall: 21 sq. ft. / pallet  
Seating Wall: 20 sq. ft. / pallet  
3 layers / pallet  
2,400 lbs. / pallet  
8 1/2' minimum radius

## SPECIFICATIONS



42" x 10 1/2" x 6"  
200 lbs. / unit  
6 units / pallet



30" x 10 1/2" x 6"  
140 lbs. / unit  
3 units / pallet




21" x 10 1/2" x 6"  
100 lbs. / unit  
6 units / pallet



12" x 10 1/2" x 6"  
50 lbs. / unit  
3 units / pallet

*\*Wall blocks have a 3" taper (1 1/2" per side).*

## LAYING PATTERNS



• This random laying pattern uses one full pallet of block.

## NOTES



WET-CAST  
WARRANTY

## CAP OPTIONS



DIMENSIONAL  
COPING

## APPLICATIONS



OUTDOOR  
LIVING




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

# ROSETTA® KODAH CORNER

## PALLET OVERVIEW



24 units / pallet  
31.5 sq. ft. / pallet  
3 layers / pallet  
2,500 lbs. / pallet




## SPECIFICATIONS



21" x 10 1/2" x 6"  
100 lbs. / unit  
1.3 sq. ft / unit

## LAYING PATTERNS

- One pallet of corner blocks will make a 32" x 32" x 36" high column.



## NOTES



WET-CAST  
WARRANTY



OUTDOOR  
LIVING




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

## APPLICATIONS

# ROSETTA® OUTCROPPING

## SPECIFICATIONS




**A PALLET:**  
4 units / pallet  
18 face sq. ft. / pallet  
220 lbs. / sq. ft.  
4,000 lbs. / pallet


**B PALLET:**  
6 units / pallet  
18 face sq. ft. / pallet  
220 lbs. / sq. ft.  
4,000 lbs. / pallet

**C PALLET:**  
4 units / pallet  
18 face sq. ft. / pallet  
220 lbs. / sq. ft.  
4,000 lbs. / pallet


## LAYING PATTERNS




2' x 45' WALL - 90 sq. ft. (Uses 2 A Pallets, 2 B Pallets, & 1 C Pallet)



3' x 30' WALL - 90 sq. ft. (Uses 2 A Pallets, 2 B Pallets, & 1 C Pallet)



4' x 22 1/2' WALL - 90 sq. ft. (Uses 2 A Pallets, 2 B Pallets, & 1 C Pallet)



5' x 18' WALL - 90 sq. ft. (Uses 2 A Pallets, 2 B Pallets, & 1 C Pallet)

## NOTES



**WET-CAST  
WARRANTY**

## CAP OPTIONS



**IRREGULAR  
STEPS**

## APPLICATIONS





**WALLS &  
COLUMNS**

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# ROSETTA® OUTCROPPING CORNER

## PALLET OVERVIEW



2 units / pallet  
1,650 lbs. / pallet

## SPECIFICATIONS




48" x 30" x 12"  
1 unit / pallet



39" x 27" x 6"  
1 unit / pallet

## LAYING PATTERNS



To break the vertical bond,  
alternate the direction of the  
corners on each row when  
possible.

## NOTES



WET-CAST  
WARRANTY

## CAP OPTIONS



IRREGULAR  
STEPS

## APPLICATIONS




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# VERSA-LOK® STANDARD

## PALLET OVERVIEW



24 units / pallet  
16 sq. ft. / pallet  
2 layers / pallet  
2,100 lbs. / pallet

## SPECIFICATIONS



16" x 12" x 6"  
86 lbs. / unit  
1.5 units / sq. ft.  
8' minimum radius






*Weathered unit is  
palletized the same.*



*Solid unit is  
palletized the same.*

## LAYING PATTERNS



## NOTES



DRY-CAST  
WARRANTY

## CAP OPTIONS



C CAPS



C-2 CAPS



DOUBLE  
BULLNOSE CAPS



DIMENSIONAL  
COPING



LIMESTONE  
COLUMN CAPS

## APPLICATIONS



OUTDOOR  
LIVING




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# VERSA-LOK® STANDARD

## PALLET OVERVIEW






48 units / pallet  
2 layers / pallet  
2,100 lbs. / pallet


## SPECIFICATIONS



HALF CORNER  
8" x 12" x 6"  
44 lbs. / unit



One pallet of half blocks will make  
two 20" x 20" x 36" columns.




36 units / pallet  
3 layers / pallet  
2,280 lbs. / pallet



FULL RETURN CORNER  
16" x 8" x 6"  
63 lbs. / unit

*\*See above for column detail.*




To stay on half bond when installing a 90° outside corner,  
alternate the direction of the full return corner block on  
each row. Place masonry adhesive between corner  
blocks for additional strength.

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.



# VERSA-LOK® COBBLE

## PALLET OVERVIEW



48 units / pallet  
16 sq. ft. / pallet  
2 layers / pallet  
1,872 lbs. / pallet

## SPECIFICATIONS




8" x 12" x 6"  
38 lbs. / unit  
3 units / sq. ft.  
4.3' minimum radius




*Weathered unit is  
palletized the same.*

## LAYING PATTERNS



### COBBLE PINNING DETAIL



## NOTES



DRY-CAST  
WARRANTY

## CAP OPTIONS



C CAPS



C-2 CAPS



DOUBLE  
BULLNOSE CAPS



DIMENSIONAL  
COPING



LIMESTONE  
COLUMN CAPS

## APPLICATIONS



OUTDOOR  
LIVING




WALLS &  
COLUMNS


COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# VERSA-LOK® HARMONY

## PALLET OVERVIEW



**STANDARD**  
24 units / pallet  
16 sq. ft. / pallet  
2 layers / pallet  
2,100 lbs. / pallet



**COBBLE**  
48 units / pallet  
16 sq. ft. / pallet  
2 layers / pallet  
1,872 lbs. / pallet

## SPECIFICATIONS




**STANDARD**  
16" x 12" x 6"  
86 lbs. / unit  
1.5 units / sq. ft.




**COBBLE**  
8" x 12" x 6"  
38 lbs. / unit  
3 units / sq. ft.

|                                   |                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HARMONY<br>INSTALLATION<br>RATIOS | <b>1:1 RATIO: 1 Standard (66%) : 1 Cobble (33%)</b><br>Total square feet of the wall is equal to how many of each unit you will need.<br><b>• Example:</b> 100 Sq. Ft. Wall<br>100 Standard Units<br>100 Cobble Units                                                                                           |
|                                   | <b>1:2 RATIO: 1 Standard (50%) : 2 Cobble (50%)</b><br>Total square feet of the wall is divided in half. Multiply that number by 1.5 for Standards and 3 for Cobbles.<br><b>• Example:</b> 100 Sq. Ft. Wall: $100 \div 2 = 50$<br>$50 \times 1.5 = 75$ Standard Units<br>$50 \times 3 = 150$ Cobble Units       |
|                                   | <b>3:2 RATIO: 3 Standard (75%) : 2 Cobble (25%)</b><br>Total square feet of the wall is divided by 2.66. Multiply that number by 3 for Standards and 2 for Cobbles.<br><b>• Example:</b> 100 Sq. Ft. Wall: $100 \div 2.66 = 37.6$ (38)<br>$38 \times 3 = 114$ Standard Units<br>$38 \times 2 = 76$ Cobble Units |


## LAYING PATTERNS




1:1 RATIO



1:2 RATIO



3:2 RATIO



## NOTES



DRY-CAST  
WARRANTY

## CAP OPTIONS



C CAPS



C-2 CAPS



DOUBLE  
BULLNOSE CAPS



DIMENSIONAL  
COPING



LIMESTONE  
COLUMN CAPS

## APPLICATIONS



OUTDOOR  
LIVING




WALLS &  
COLUMNS


COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

# VERSA-LOK® SQ. FT. BLOCK

## PALLET OVERVIEW



24 units / pallet  
24 sq. ft. / pallet  
2 layers / pallet  
2,256 lbs. / pallet



SQ. FT. CORNER  
36 units / pallet  
2 layers / pallet  
1,730 lbs. / pallet



## SPECIFICATIONS



18" x 12" x 8"  
94 lbs. / unit  
1 unit / sq. ft.  
4.5' minimum radius

SQ. FT. CORNER  
12" x 6" x 8"  
48 lbs. / unit

## LAYING PATTERNS



## NOTES



DRY-CAST  
WARRANTY

## CAP OPTIONS



C CAPS



C-2 CAPS



DOUBLE  
BULLNOSE CAPS



DIMENSIONAL  
COPING

## APPLICATIONS




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# GEOSTONE

## PALLET OVERVIEW



24 units / pallet  
24 sq. ft. / pallet  
2 layers / pallet  
1,920 lbs. / pallet

## SPECIFICATIONS





18" x 12" x 8"  
80 lbs. / unit  
1 unit / sq. ft.  
1/2 cu. ft. / per core  
4.5' minimum radius

## CORNER DETAILS

A corner takes 1.5 blocks per course to make. The first block is split in half. Take care to make sure this split is made at exactly the halfway point so that the other half can be used on the next course's corner.

On the second block, measure all the way to the point where the inside of the core starts to make its turn. This is where a cut is necessary in order to fit snug against the machined edge of the other piece of the corner. The length of the piece to be cut off should be 3" (the same as the width of the split edge on the half block).



## NOTES



DRY-CAST  
WARRANTY

## CAP OPTIONS



C CAPS



C-2 CAPS



DOUBLE  
BULLNOSE CAPS



DIMENSIONAL  
COPING

## APPLICATIONS



WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# MAGNUMSTONE®

## STANDARD BLOCKS



### BASE

Face Width: 48"  
Back Width: 39"  
Depth: 25"  
Height: 24"  
Weight/Unit: 1,295 Lbs.  
Units/Pallet: 2  
Volume Voids: 6.1 Ft.<sup>3</sup>  
Face Area: 8 Sq. Ft.  
Batter/Setback: 2.4°



### STANDARD

Face Width: 48"  
Back Width: 39"  
Depth: 25"  
Height: 24"  
Weight/Unit: 1,270 Lbs.  
Units/Pallet: 2  
Volume Voids: 6.1 Ft.<sup>3</sup>  
Face Area: 8 Sq. Ft.  
Batter/Setback: 2.4°



### TOP

Face Width: 48"  
Back Width: 39"  
Depth: 25"  
Height: 24"  
Weight/Unit: 1,220 Lbs.  
Units/Pallet: 2  
Volume Voids: 6.1 Ft.<sup>3</sup>  
Face Area: 8 Sq. Ft.  
Batter/Setback: 2.4°



### HALF

Face Width: 24"  
Back Width: 14.5"  
Depth: 25"  
Height: 24"  
Weight/Unit: 730 Lbs.  
Units/Pallet: 4  
Face Area: 4 Sq. Ft.  
Batter/Setback: 2.4°



### UNIVERSAL END/CORNER

Front Width: 4"  
Back Width: 9"  
Depth: 28"  
Height: 24"  
Weight/Unit: 270 Lbs.  
Units/Pallet: 2  
Face Area: 4.66 Sq. Ft.

| NOTE: Available with a slot on the back for use with extenders |

## HALF-HIGH BLOCKS



### HALF-HIGH BASE

Face Width: 48"  
Back Width: 39"  
Depth: 25"  
Height: 12"  
Weight: 645 Lbs.  
Units/Pallet: 2  
Volume Voids: 3.15 Ft.<sup>3</sup>  
Face Area: 4 Sq. Ft.



### HALF HIGH STANDARD

Face Width: 48"  
Back Width: 39"  
Depth: 25"  
Height: 12"  
Weight: 635 Lbs.  
Units/Pallet: 2  
Volume Voids: 3.15 Ft.<sup>3</sup>  
Face Area: 4 Sq. Ft.



### HALF-HIGH TOP

Face Width: 48"  
Back Width: 39"  
Depth: 25"  
Height: 12"  
Weight: 590 Lbs.  
Units/Pallet: 2  
Volume Voids: 3.15 Ft.<sup>3</sup>  
Face Area: 4 Sq. Ft.



### LEFT END/CORNER

Front Width: 4"  
Back Width: 9"  
Depth: 28"  
Height: 12"  
Weight: 128 Lbs.  
Units/Pallet: 4  
Face Area: 2.33 Sq. Ft.



### RIGHT END/CORNER

Front Width: 4"  
Back Width: 9"  
Depth: 28"  
Height: 12"  
Weight: 128 Lbs.  
Units/Pallet: 4  
Face Area: 2.33 Sq. Ft.

| NOTE: Select left & right units looking at the face of the wall |

## HALF HIGH BLOCKS



### HALF-HIGH BASE

Face Width: 48"  
Back Width: 39"  
Depth: 25"  
Height: 12"  
Weight: 645 Lbs.  
Units/Pallet: 2  
Volume Voids: 3.15 Ft.<sup>3</sup>  
Face Area: 4 Sq. Ft.



### HALF HIGH STANDARD

Face Width: 48"  
Back Width: 39"  
Depth: 25"  
Height: 12"  
Weight: 635 Lbs.  
Units/Pallet: 2  
Volume Voids: 3.15 Ft.<sup>3</sup>  
Face Area: 4 Sq. Ft.

## EXTENDERS



### 2 FT. EXTENDER

Height: 24"  
Depth: 24"  
Back Width: 30"  
Weight: 573 Lbs.



### 4 FT. EXTENDER

Height: 24"  
Depth: 48"  
Back Width: 30"  
Weight: 800 Lbs.



### STEP/CAP

Height: 6"  
Depth: 24"  
Width: 48"  
Weight: 580 Lbs.  
Face Area: 4 Ln. Ft.

## NOTES



WETCAST  
WARRANTY

## CAP OPTIONS



MAGNUMSTONE®  
STEP/CAP

## APPLICATIONS




WALLS &  
COLUMNS


COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

# MAGNUMSTONE®

## CROSS SECTIONS



TYPICAL GRAVITY WALL USING EXTENDERS



TYPICAL GRAVITY WALL

## NOTES



WET-CAST  
WARRANTY

## CAP OPTIONS



MAGNUMSTONE®  
STEP/CAP

## APPLICATIONS



WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.


# CAPS & STEPS





# C CAPS

## PALLET OVERVIEW



48 units / pallet  
64 in. ft. / pallet  
4 layers / pallet  
2,700 lbs. / pallet

## SPECIFICATIONS




16" x 12" x 3 5/8"  
56 lbs. / unit  
1.3 in. ft. / unit



*Weathered unit is  
palletized the same.*

## LAYING PATTERNS

- This detail shows a Versa-Lok® Standard 90° outside corner wall capped with C Caps with a mitered corner.



## NOTES



DRY-CAST  
WARRANTY



WALLS &  
COLUMNS


COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

## APPLICATIONS



# C-2 CAPS

## PALLET OVERVIEW



36 units / pallet  
48 in. ft. / pallet  
4 layers / pallet  
1,950 lbs. / pallet

## SPECIFICATIONS




16" x 13" x 3 5/8"  
60 lbs. / unit  
1.3 in. ft. / unit



*Weathered unit is  
palletized the same.*

## LAYING PATTERNS

- This detail shows a Versa-Lok® Standard double-sided freestanding wall capped with C-2 Caps.



## NOTES



DRY-CAST  
WARRANTY




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

## APPLICATIONS

# DOUBLE BULLNOSE CAPS

## PALLET OVERVIEW



78 units / pallet  
39 ln. ft. / pallet  
2 layers / pallet  
1,770lbs. / pallet


## SPECIFICATIONS



6" x 13" x 2 3/8"  
15 lbs. / unit  
.5 ln. ft. / unit

## LAYING PATTERNS


### 30" FIRE PIT CAP INSTALLATION






- 26 Double Bullnose Caps, cut to 3" on the inside, will cover a 30" inside diameter Castlerok® fire pit with 2.5" overhang.

*Note: these numbers are nominal and on-site adjustments may need to be made given cutting variables.*

*\*Additionally, you can achieve this same diameter by cutting every other cap.*



### 90° OUTSIDE MITERED CORNER



## NOTES



DRY-CAST  
WARRANTY



OUTDOOR  
LIVING




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

## APPLICATIONS

# LIMESTONE COLUMN CAPS

## PALLET OVERVIEW



15 units / pallet

## SPECIFICATIONS







24" x 24" x 2"  
100 lbs. / unit



28" x 28" x 2"  
136 lbs. / unit

## LAYING PATTERNS

• This detail shows a 20" x 20" x 36" column built with Versa-Lok® Half Corners and capped with a 24" Limestone Column Cap.



## NOTES



DRY-CAST  
WARRANTY




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# ROSETTA® DIMENSIONAL COPING

## PALLET OVERVIEW



36 units / pallet  
63 ln. ft. / pallet  
6 layers / pallet  
2,000 lbs. / pallet

## SPECIFICATIONS



24" x 12 1/2" x 2 1/2"




18" x 12 1/2" x 2 1/2"



19" x 12 1/2" x 2 1/2" - END

## LAYING PATTERNS

- This detail shows a freestanding Belvedere wall with a 90° outside corner capped with Dimensional Coping.



## NOTES



WET-CAST  
WARRANTY

## APPLICATIONS




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# CABIN ROCK™

## PALLET OVERVIEW



4 units / pallet  
853 lbs. / pallet

## SPECIFICATIONS



4 FT. STEPS  
54" x 22" x 3"  
213 lbs. / unit



42" x 26" x 3"  
213 lbs. / unit




48" x 28" x 3"  
213 lbs. / unit



48" x 24" x 3"  
213 lbs. / unit

## LAYING PATTERNS



## NOTES



WET-CAST  
WARRANTY

## APPLICATIONS



PATIOS



WALKWAYS  
& STAIRWAYS



OUTDOOR  
LIVING

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# LANDING STONE

## PALLET OVERVIEW




1 units / pallet  
880 lbs. / pallet

## SPECIFICATIONS



48" x 30" x 7"

## LAYING PATTERNS



## NOTES



WET-CAST  
WARRANTY

## APPLICATIONS



PATIOS



WALKWAYS  
& STAIRWAYS




OUTDOOR  
LIVING

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# ROSETTA® DIMENSIONAL STEPS

## PALLET OVERVIEW



4 FT. STEP  
4 units / pallet  
1,820 lbs. / pallet



6 FT. STEP  
2 units / pallet  
2,640 lbs. / pallet




4 FT. STEP  
48" x 18" x 7"  
455 lbs. / unit



6 FT. STEP  
72" x 30" x 7"  
1,320 lbs. / unit

## LAYING PATTERNS



## NOTES



WET-CAST  
WARRANTY

## APPLICATIONS



PATIOS



WALKWAYS  
& STAIRWAYS




OUTDOOR  
LIVING


COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# ROSETTA® IRREGULAR STEPS

## PALLET OVERVIEW



4 FT. STEP  
4 units / pallet  
2,013 lbs. / pallet



6 FT. STEP  
3 units / pallet  
3,900 lbs. / pallet

## SPECIFICATIONS



4 FT. STEPS  
54" x 22" x 7"  
458 lbs. / unit



48" x 28" x 7"  
567 lbs. / unit



48" x 24" x 7"  
512 lbs. / unit



42" x 26" x 7"  
476 lbs. / unit



6 FT. STEPS  
72" x 29" x 7"  
1,300 lbs. / unit




72" x 29" x 7"  
1,300 lbs. / unit



72" x 29" x 7"  
1,300 lbs.0 / unit

## LAYING PATTERNS



## NOTES



WET-CAST  
WARRANTY

## APPLICATIONS



PATIOS



WALKWAYS  
& STAIRWAYS



OUTDOOR  
LIVING

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.



Wall Batter =  $10.6^\circ$   
 ( $2\frac{1}{4}"$  (57 mm)  
 Horizontal in 12"  
 (305 mm) Vertical)

DESIGN  
 HEIGHT  
 (Varies)

REINFORCEMENT  
 BLOCKS


GROUND  
 LEVEL

TH

## CEMENT BLOCKS


TH

# PAVERS: INTERLOCKING PAVEMENT INSTALLATION




NOTE:  
1. THICKNESS OF AGGREGATE BASE WILL VARY WITH SUBGRADE CONDITIONS AND CLIMATE.  
COLDER CLIMATES MAY REQUIRE THICKER BASES.

# PERMEABLE PAVERS: PARTIAL EXFILTRATION INSTALLATION




*Partial exfiltration through the soil subgrade. Perforated pipes can be raised above the soil subgrade to drain water from higher depth rainstorms. Smaller storms which often contain higher pollutant concentrations can be captured below the perforated pipes, stored and infiltrated.*

## VERSA-LOK® STANDARD: REINFORCED INSTALLATION



## ROSETTA® GRAND LEDGE: GRAVITY INSTALLATION



# PRODUCT WARRANTY



R.I. Lampus Company guarantees that all dry-cast wall and paving stone products meet or exceed the requirements of ASTM C-1372 for walls and ASTM C-936 for paving stones. This warranty is limited to the original purchaser for residential applications installed and maintained according to R.I. Lampus Company installation guidelines or industry standards. Damage sustained as a result of improper installation or design, chemical application, excessive loading, or other misuse is expressly excluded from this warranty. Should any dry-cast product prove defective, it will be replaced without cost. Replacement labor and shipping costs are not included in this guarantee. Proof of purchase is required. Retain the warranty tag with batch information for all claims.

R.I. Lampus Company specifically disclaims any warranty relative to color, color consistency, or texture due to natural material variations. Color matching of any replacement units cannot be guaranteed. Efflorescence, a white deposit, common on concrete and masonry surfaces, is a natural occurrence and no warranty or liability is expressed or implied for this condition.



Wet-cast products, including Rosetta® Hardscape Products, are backed by a lifetime warranty from the manufacturer to the original end user for products used in residential applications. This assurance of product quality is applicable where products have been correctly installed to manufacturer's specifications or industry standards. Any properly installed hardscape material that deteriorates due to the concrete in the product not meeting the design strength specification will be replaced by the manufacturer of the product. Replacement labor and shipping costs are not included in this guarantee. Proof of purchase is required. Retain the warranty tag with batch information for all claims. The following items are not covered by this warranty: color variances and the appearance of surface stains resulting from chemical reactions such as efflorescence or differential curing, damage caused by installation, deterioration caused by de-icing salts or fertilizers, damage resulting from sub-grade settlement or movement, hairline cracks that do not affect the structural performance of the products, spalling of less than three percent of the surface area, contact with chemicals or paint, discoloration due to airborne contamination, staining, oxidation, or improper sealing.

## COLOR DISCLAIMER

The colors of products shown in print are to be used as representations or guidelines only. The photographic and printing processes are not fully capable of reproducing exact colors of all products. Colors may also change from production run to production run. All products are not warranted as always available in all locations, and R.I. Lampus Company may change, amend, add, or discontinue any product shape or color at the sole discretion of R.I. Lampus Company with no prior notification. Not all colors are available in all shapes. Check with the sales department for availability.

To assure random color distribution, it is recommended that individual blocks be mixed from different pallets on the job site. Actual product colors may vary slightly. We recommend that products be viewed at your local distributor location. Special order colors are available upon request.

## PRODUCT MAINTENANCE

The face of retaining walls can be stained due to mineral and moisture laden soil in the backfill area as well as from the environment. Cleaners and sealers are available for routine wall maintenance.

Cleaners and sealers are available for surface enhancements and protection when necessary. Any concrete products used for stair tread applications may require a protective sealant to resist adverse effects of de-icing agents.

Snow can be shoveled or plowed from pavers as readily as other pavements. High strength, low absorption R.I. Lampus Company pavers are more resistant to de-icing salts than ordinary concretes, but they can still be damaged by intense applications. Sealers will help to protect the surface.





816 R.I. LAMPUS AVENUE, SPRINGDALE, PA 15144  
412.362.3800 • LAMPUS.COM

