


# C CAPS

## PALLET OVERVIEW



48 units / pallet  
64 in. ft. / pallet  
4 layers / pallet  
2,700 lbs. / pallet

## SPECIFICATIONS




16" x 12" x 3 5/8"  
56 lbs. / unit  
1.3 in. ft. / unit



*Weathered unit is  
palletized the same.*

## LAYING PATTERNS

- This detail shows a Versa-Lok® Standard 90° outside corner wall capped with C Caps with a mitered corner.



## NOTES



DRY-CAST  
WARRANTY

## APPLICATIONS




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# C-2 CAPS

## PALLET OVERVIEW



36 units / pallet  
48 in. ft. / pallet  
4 layers / pallet  
1,950 lbs. / pallet

## SPECIFICATIONS




16" x 13" x 3 5/8"  
60 lbs. / unit  
1.3 in. ft. / unit

*Weathered unit is  
palletized the same.*

## LAYING PATTERNS

- This detail shows a Versa-Lok® Standard double-sided freestanding wall capped with C-2 Caps.



## NOTES



DRY-CAST  
WARRANTY

## APPLICATIONS




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# DOUBLE BULLNOSE CAPS

## PALLET OVERVIEW



78 units / pallet  
 39 ln. ft. / pallet  
 2 layers / pallet  
 1,770lbs. / pallet


## SPECIFICATIONS



6" x 13" x 2 3/8"  
 15 lbs. / unit  
 .5 ln. ft. / unit

## LAYING PATTERNS


### 30" FIRE PIT CAP INSTALLATION




• 26 Double Bullnose Caps, cut to 3" on the inside, will cover a 30" inside diameter Castlerok® fire pit with 2.5" overhang.

*Note: these numbers are nominal and on-site adjustments may need to be made given cutting variables.*

*\*Additionally, you can achieve this same diameter by cutting every other cap.*



### 90° OUTSIDE MITERED CORNER



## NOTES



DRY-CAST  
WARRANTY



OUTDOOR  
LIVING




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

## APPLICATIONS

# LIMESTONE COLUMN CAPS

## PALLET OVERVIEW



15 units / pallet

## SPECIFICATIONS






24" x 24" x 2"  
100 lbs. / unit



28" x 28" x 2"  
136 lbs. / unit

## LAYING PATTERNS

• This detail shows a 20" x 20" x 36" column built with Versa-Lok® Half Corners and capped with a 24" Limestone Column Cap.



## NOTES



DRY-CAST  
WARRANTY




WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.

# ROSETTA® DIMENSIONAL COPING

## PALLET OVERVIEW



36 units / pallet  
63 ln. ft. / pallet  
6 layers / pallet  
2,000 lbs. / pallet

## SPECIFICATIONS



24" x 12 1/2" x 2 1/2"




18" x 12 1/2" x 2 1/2"



19" x 12 1/2" x 2 1/2" - END

## LAYING PATTERNS

- This detail shows a freestanding Belvedere wall with a 90° outside corner capped with Dimensional Coping.



## NOTES



WET-CAST  
WARRANTY



WALLS &  
COLUMNS

COLOR SWATCHES AVAILABLE AT [LAMPUS.COM](http://LAMPUS.COM) • ALL WEIGHTS ARE APPROXIMATE.