


CLARION

PALLET OVERVIEW



243 units / pallet
96 sq. ft. / pallet
2,640 lbs. / pallet
9 layers / pallet

SPECIFICATIONS



8" x 12" x 2 ³/₈"
54 units / pallet
6 units / layer
18 lbs. / unit




8" x 8" x 2 ³/₈"
81 units / pallet
9 units / layer
12 lbs. / unit




4" x 8" x 2 ³/₈"
108 units / pallet
12 units / layer
6 lbs. / unit


LAYING PATTERNS



RANDOM / NO PATTERN



LINEAR WALKWAY PATTERN



LINEAR FIELD PATTERN

NOTES



PROGUARD
FINISH



PLATE
COMPACTION



DRY-CAST
WARRANTY



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR
LIVING

APPLICATIONS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

GRANDVIEW™

PALLET OVERVIEW



110 units / pallet
99 sq. ft. / pallet
2,732 lbs. / pallet
11 layers / pallet

*Permeable Infiltration Rate 120" / hour

SPECIFICATIONS



18" x 12" x 2 ³/₈"
22 units / pallet
2 units / layer
41.4 lbs. / unit



12" x 12" x 2 ³/₈"
44 units / pallet
4 units / layer
27.6 lbs. / unit







6" x 12" x 2 ³/₈"
44 units / pallet
4 units / layer
13.8 lbs. / unit

GRANDVIEW™ IS ALSO AVAILABLE IN 80MM (3 ¹/₈")

80 units / pallet - 72 sq. ft. / pallet
2,568 lbs. / pallet - 8 layers / pallet

18" x 12" x 3 ¹/₈" - 16 units / pallet - 54.1 lbs. / unit
12" x 12" x 3 ¹/₈" - 32 units / pallet - 36.4 lbs. / unit
6" x 12" x 3 ¹/₈" - 32 units / pallet - 16.8 lbs. / unit

LAYING PATTERNS



NOTES



PROGUARD
FINISH



PERMEABLE



NO PLATE
COMPACTION



DRY-CAST
WARRANTY



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR
LIVING

APPLICATIONS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

GRANDVIEW™ PLAZA

PALLET OVERVIEW




44 units / pallet
99 sq. ft. / pallet
2,732 lbs. / pallet
11 layers / pallet

SPECIFICATIONS




18" x 18" x 2 3/8"
4 units / layer
62 lbs. / unit


LAYING PATTERNS




MODULE = 1 GRANDVIEW™ LAYER AND 1
GRANDVIEW™ PLAZA UNIT



MODULE = 2 GRANDVIEW™ LAYERS AND 2
GRANDVIEW™ PLAZA UNITS



GRANDVIEW™ PLAZA "CARPET INLAY"



GRANDVIEW™ PLAZA "STONE WALKWAY"

NOTES



PROGUARD
FINISH



PERMEABLE



NO PLATE
COMPACTION



DRY-CAST
WARRANTY



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR
LIVING

APPLICATIONS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

GRANDVIEW™ SMOOTH

PALLET OVERVIEW



110 units / pallet
99 sq. ft. / pallet
2,732 lbs. / pallet
11 layers / pallet

*Permeable Infiltration Rate 120" / hour

SPECIFICATIONS



18" x 12" x 2 3/8"
22 units / pallet
2 units / layer
41.4 lbs. / unit







12" x 12" x 2 3/8"
44 units / pallet
4 units / layer
27.6 lbs. / unit



6" x 12" x 2 3/8"
44 units / pallet
4 units / layer
13.8 lbs. / unit

LAYING PATTERNS



NOTES



PROGUARD
FINISH



PERMEABLE



NO PLATE
COMPACTION



DRY-CAST
WARRANTY



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR
LIVING

APPLICATIONS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

GRANDVIEW™ PLAZA SMOOTH

PALLET OVERVIEW




44 units / pallet
99 sq. ft. / pallet
2,732 lbs. / pallet
11 layers / pallet

SPECIFICATIONS




18" x 18" x 2 3/8"
4 units / layer
62 lbs. / unit


LAYING PATTERNS




MODULE = 1 GRANDVIEW™ LAYER AND 1
GRANDVIEW™ PLAZA UNIT



MODULE = 2 GRANDVIEW™ LAYERS AND 2
GRANDVIEW™ PLAZA UNITS



GRANDVIEW™ PLAZA "CARPET INLAY"



GRANDVIEW™ PLAZA "STONE WALKWAY"

NOTES



PROGUARD
FINISH



PERMEABLE



NO PLATE
COMPACTION



DRY-CAST
WARRANTY



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR
LIVING

APPLICATIONS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

HOLLAND PROGUARD

PALLET OVERVIEW



486 units / pallet
105 sq. ft. / pallet
2,920 lbs. / pallet
6 sections / pallet
17.5 sq. ft. / section
SOLDIER: 159.5 in. ft. / pallet
SOLDIER: 26.5 in. ft. / section
SAILOR: 319 in. ft. / pallet
SAILOR: 53 in. ft. / section

SPECIFICATIONS




$3 \frac{15}{16}'' \times 7 \frac{7}{8}'' \times 2 \frac{3}{8}''$
4.6 units / sq. ft.
81 units / section
6 lbs. / unit

HOLLAND IS ALSO AVAILABLE IN 80MM ($3 \frac{1}{8}''$)

432 units / pallet - 82 sq. ft. / pallet
2,838 lbs. / pallet - 7 layers / pallet
6 sections / pallet - 13.6 sq. ft. / section
72 units / section - 7.34 lbs / unit

LAYING PATTERNS



NOTES



PROGUARD
FINISH



PLATE
COMPACTION



DRY-CAST
WARRANTY

APPLICATIONS



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR
LIVING

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

HOLLAND PG PLUS

PALLET OVERVIEW



270 units / pallet
58.3 sq. ft. / pallet
1,622 lbs. / pallet
5 layers / pallet
SOLDIER: 90 in. ft. / pallet
SOLDIER: 18 in. ft. / layer
SAILOR: 180 in. ft. / pallet
SAILOR: 36 in. ft. / layer





SPECIFICATIONS



$3 \frac{15}{16}'' \times 7 \frac{7}{8}'' \times 2 \frac{3}{8}''$
4.6 units / sq. ft.
54 units / layer
6 lbs. / unit

*Available in 80mm ($3 \frac{1}{8}''$)

LAYING PATTERNS



NOTES



PROGUARD
FINISH



PG PLUS
FINISH



PLATE
COMPACTION



DRY-CAST
WARRANTY



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR
LIVING

APPLICATIONS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

LIGONIER PG PLUS

PALLET OVERVIEW



210 units / pallet
53 sq. ft. / pallet
1,333 lbs. / pallet
5 layers / pallet
125 ln. ft. / pallet
25 ln. ft. / layer

SPECIFICATIONS



5" x 8 1/2" x 2 3/8"
70 units / pallet
14 units / layer
7.5 lbs. / unit



5" x 7 1/4" x 2 3/8"
70 units / pallet
14 units / layer
6.5 lbs. / unit



5" x 6 1/4" x 2 3/8"
35 units / pallet
7 units / layer
5.6 lbs. / unit



5" x 5" x 2 3/8"
35 units / pallet
7 units / layer
4.5 lbs. / unit





Ligonier void space is 8%.

50 lb. bag of sand fills approximately 18.5 sq. ft.

55 lb. bag of sand fills approximately 20.4 sq. ft.

2 lbs. of #8 stone fills approximately 1 sq. ft.

LAYING PATTERNS



NOTES



PROGUARD
FINISH



PG PLUS
FINISH



PERMEABLE



PLATE
COMPACTION



DRY-CAST
WARRANTY

APPLICATIONS



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR
LIVING


COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

STRATFORD PROGUARD


PALLET OVERVIEW



270 units / pallet
111 sq. ft. / pallet
3,004 lbs. / pallet
5 sections / pallet
22.2 sq. ft. / section
SOLDIER: 140 ln. ft. / pallet
SOLDIER: 28 ln. ft. / section
SAILOR: 211 ln. ft. / pallet
SAILOR: 42 ln. ft. / section



378 units / pallet
104 sq. ft. / pallet
2,815 lbs. / pallet
7 sections / pallet
14.8 sq. ft. / section
197 ln. ft. / pallet
28 ln. ft. / section



441 units / pallet
91 sq. ft. / pallet
2,460 lbs. / pallet
7 sections / pallet
14.8 sq. ft. / section
SOLDIER: 167.5 ln. ft. / pallet
SOLDIER: 24 ln. ft. / section
SAILOR: 229.5 ln. ft. / pallet
SAILOR: 33 ln. ft. / section

SPECIFICATIONS



6 1/4" x 9 3/8" x 2 3/8"
2.4 units / sq. ft.
54 units / section
10.5 lbs. / unit




6 1/4" x 6 1/4" x 2 3/8"
3.6 units / sq. ft.
54 units / section
7.5 lbs. / unit




4 9/16" x 6 1/4" x 2 3/8"
4.8 units / sq. ft.
63 units / section
5.5 lbs. / unit


LAYING PATTERNS




PATTERN MODULE = 2 Sq. Ft.
6x9: 40% 6x6: 40% 4x6: 20%
*Percent of total area



PATTERN MODULE = 2.2 Sq. Ft.
6x9: 75% 6x6: 25%
*Percent of total area



PATTERN MODULE = 1.95 Sq. Ft.
6x9: 42% 6x6: 28% 4x6: 30%
*Percent of total area



PATTERN MODULE = 1.5 Sq. Ft.
6x9: 50% 6x6: 50%
*Percent of total area

NOTES



PLATE
COMPACTION



DRY-CAST
WARRANTY



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR
LIVING

APPLICATIONS


COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

STRATFORD PG PLUS

PALLET OVERVIEW



150 units / pallet
61.65 sq. ft. / pallet
1,670 lbs. / pallet
5 layers / pallet
SOLDIER: 78 ln. ft. / pallet
SOLDIER: 15.5 ln. ft. / layer
SAILOR: 117 ln. ft. / pallet
SAILOR: 23.5 ln. ft. / layer



245 units / pallet
50.5 sq. ft. / pallet
1,370 lbs. / pallet
5 layers / pallet
SOLDIER: 93 ln. ft. / pallet
SOLDIER: 18.5 ln. ft. / layer
SAILOR: 127.5 ln. ft. / pallet
SAILOR: 25.5 ln. ft. / layer

SPECIFICATIONS







6 1/4" x 9 3/8" x 2 3/8"
2.4 units / sq. ft.
30 units / layer
10.5 lbs. / unit



4 9/16" x 6 1/4" x 2 3/8"
4.8 units / sq. ft.
49 units / layer
5.5 lbs. / unit

LAYING PATTERNS



NOTES



PROGUARD
FINISH



PG PLUS
FINISH



PLATE
COMPACTION



DRY-CAST
WARRANTY

APPLICATIONS



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS




OUTDOOR
LIVING

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

STRATFORD PG PLUS CIRCLE

PALLET OVERVIEW



324 units / pallet
64 sq. ft. / pallet
1,732 lbs. / pallet
6 layers / pallet

SPECIFICATIONS



$3 \frac{1}{8}'' \times 6 \frac{1}{4}'' \times 2 \frac{3}{8}''$
6 units / pallet
1 units / layer



$7'' - 2 \frac{3}{4}'' \times 6 \frac{1}{4}'' \times 2 \frac{3}{8}''$
18 units / pallet
3 units / layer



$5 \frac{1}{4}'' - 3 \frac{7}{8}'' \times 6 \frac{1}{4}'' \times 2 \frac{3}{8}''$
174 units / pallet
29 units / layer




$3 \frac{1}{8}'' \times 6 \frac{1}{4}'' \times 2 \frac{3}{8}''$
6 units / pallet
1 units / layer



$4 \frac{5}{8}'' \times 6 \frac{1}{4}'' \times 2 \frac{3}{8}''$
120 units / pallet
20 units / layer

LAYING PATTERN



CIRCLE LAYOUT											
Course	C	1	2	3	4	5	6	7	8	9	10
Circle Diameter	6"	19"	32"	45"	57"	70"	83"	96"	108"	121"	134"
3 1/8" x 6 1/4" x 2 3/8"	2										
7" - 2 3/4" x 6 1/4" x 2 3/8"		8	8								
5 1/4" - 3 7/8" x 6 1/4" x 2 3/8"				26	34	21	26	30	34	38	42
3 1/8" x 6 1/4" x 2 3/8"							2		1		
4 5/8" x 6 1/4" x 2 3/8"			8			21	24	30	33	38	42
*Second pallet equals rows 9 and 10.											

NOTES




COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

APPLICATIONS

ECO-TEK® - PERMEABLE PAVER

PALLET OVERVIEW



378 units / pallet
76 sq. ft. / pallet
2,685 lbs. / pallet
6 sections / pallet
12.6 sq. ft. / section
SOLDIER: 126 ln. ft. / pallet
SOLDIER: 21 ln. ft. / section
SAILOR: 252 ln. ft. / pallet
SAILOR: 42 ln. ft. / section


*6% Aperture Permeable Infiltration Rate 498" / hour

SPECIFICATIONS




4" x 8" x 3 1/8"
4.97 units / sq. ft.
63 units / section
7 lbs. / unit

LAYING PATTERNS




0% APERTURE




6% APERTURE

*Meets A.D.A. Requirements.



9% APERTURE



35% APERTURE

NOTES



PLATE
COMPACTION



PERMEABLE



DRY-CAST
WARRANTY



PATIOS



WALKWAYS
& STAIRWAYS



POOLSIDES



DRIVEWAYS



OUTDOOR
LIVING

APPLICATIONS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.