


CASTLEROK®

PALLET OVERVIEW



90 units / pallet
22.5 sq. ft. / pallet
3 layers / pallet
1,710 lbs. / pallet





SPECIFICATIONS



9" - 6" x 8" x 4"
19 lbs. / unit
4 units / sq. ft.

LAYING PATTERNS

- 30" Inside Diameter Fire Pit uses 68 Castlerok® Units (17 block per row over 4 rows).
- This pit is designed to fit our 30" Carbon Steel Insert.
- 24" & 42" Carbon Steel Inserts also available.
- See lampus.com/resources for more details.



NOTES



DRY-CAST
WARRANTY

CAP OPTIONS



DOUBLE
BULLNOSE CAPS

APPLICATIONS



OUTDOOR
LIVING




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

COUNTRY STONE

PALLET OVERVIEW







60 units / pallet
17 sq. ft. / pallet
3 layers / pallet
1,860 lbs. / pallet

SPECIFICATIONS



12" x 8" x 4"
31 lbs. / unit
3 units / sq. ft.
(per typical installation)

LAYING PATTERNS



20" x 20" x 36" Column
4 block / layer
9 layers / column
24" x 24" Column Cap on top

NOTES



DRY-CAST
WARRANTY

CAP OPTIONS



DOUBLE
BULLNOSE CAPS

APPLICATIONS



OUTDOOR
LIVING




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

ROSETTA® GRAND LEDGE

PALLET OVERVIEW



4 units / pallet
18 sq. ft. / pallet
4,000 lbs. / pallet
24 unique textures


SPECIFICATIONS




72" x 20" x 12"
1,350 lbs. / unit
1 unit / pallet



60" x 20" x 12"
1,080 lbs. / unit
1 unit / pallet




48" x 20" x 12"
890 lbs. / unit
1 unit / pallet



36" x 20" x 12"
660 lbs. / unit
1 unit / pallet

LAYING PATTERNS



Convex Curves:
Minimum radius: 20 ft.
Best fit radius: >30 ft.

Concave Curves:
Minimum radius: 20 ft.
Best fit radius: >30 ft.

Note: Minimum radii shown are based on an average mix of block lengths. Actual radius will depend upon block placement.

Due to the setback between courses of blocks (2.25 inches per course), the radius of convex curves will get smaller towards the top of the wall. It is recommended that you plan your base course layout accordingly due to the tapered ends of the upper courses becoming tighter. The overall radius will decrease as the wall is constructed.

NOTES



WET-CAST
WARRANTY

CAP OPTIONS



GRAND LEDGE
COPING/FREESTANDING

APPLICATIONS



OUTDOOR
LIVING




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

ROSETTA® GRAND LEDGE CORNERS

PALLET OVERVIEW




4 units / pallet
21 sq. ft. / pallet
3,950 lbs. / pallet
4 unique textures

SPECIFICATIONS




51" x 26" x 12"
1,280 lbs. / unit
1 unit / pallet



46" x 21" x 12"
970 lbs. / unit
1 unit / pallet



43" x 20" x 12"
840 lbs. / unit
1 unit / pallet




35" x 24" x 12"
850 lbs. / unit
1 unit / pallet

These Corner blocks are designed for use as corners, top blocks, and step returns.

LAYING PATTERNS

90° OUTSIDE CORNER

- 1 - 51" x 26" x 12"
- 2 - 35" x 24" x 12"
- 3 - 46" x 21" x 12"
- 4 - 43" x 20" x 12"



Overlap Corner blocks, alternating direction each row to break the vertical bond.

NOTES



WET-CAST
WARRANTY

CAP OPTIONS



GRAND LEDGE
COPING/FREESTANDING

APPLICATIONS



OUTDOOR
LIVING




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.


ROSETTA® GRAND LEDGE COPING/FREESTANDING

PALLET OVERVIEW



4 units / pallet
15 sq. ft. / pallet
3,590 lbs. / pallet
4 unique textures

SPECIFICATIONS



46" x 21" x 12"
970 lbs. / unit
1 unit / pallet



43" x 20" x 12"
840 lbs. / unit
1 unit / pallet




36" x 20" x 12"
700 lbs. / unit
1 unit / pallet



54" x 20" x 12"
1,080 lbs. / unit
1 unit / pallet

LAYING PATTERNS



Note: The Grand Ledge Coping/Freestanding units have a natural stone finish on 5 sides and can be used for corners, top blocks, step returns, and freestanding walls.

NOTES



WET-CAST
WARRANTY

APPLICATIONS



OUTDOOR
LIVING




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.


ROSETTA® KODAH

PALLET OVERVIEW




18 units / pallet
Retaining Wall: 21 sq. ft. / pallet
Seating Wall: 20 sq. ft. / pallet
3 layers / pallet
2,400 lbs. / pallet
8 1/2' minimum radius

SPECIFICATIONS



42" x 10 1/2" x 6"
200 lbs. / unit
6 units / pallet



30" x 10 1/2" x 6"
140 lbs. / unit
3 units / pallet




21" x 10 1/2" x 6"
100 lbs. / unit
6 units / pallet



12" x 10 1/2" x 6"
50 lbs. / unit
3 units / pallet

**Wall blocks have a 3" taper (1 1/2" per side).*

LAYING PATTERNS



- This random laying pattern uses one full pallet of block.

NOTES



WET-CAST
WARRANTY

CAP OPTIONS



DIMENSIONAL
COPING

APPLICATIONS



OUTDOOR
LIVING




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

ROSETTA® KODAH CORNER

PALLET OVERVIEW



24 units / pallet
31.5 sq. ft. / pallet
3 layers / pallet
2,500 lbs. / pallet




SPECIFICATIONS



21" x 10 1/2" x 6"
100 lbs. / unit
1.3 sq. ft / unit

LAYING PATTERNS

- One pallet of corner blocks will make a 32" x 32" x 36" high column.



NOTES



WET-CAST
WARRANTY



OUTDOOR
LIVING




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

APPLICATIONS

ROSETTA® OUTCROPPING

SPECIFICATIONS




A PALLET:
4 units / pallet
18 face sq. ft. / pallet
220 lbs. / sq. ft.
4,000 lbs. / pallet


B PALLET:
6 units / pallet
18 face sq. ft. / pallet
220 lbs. / sq. ft.
4,000 lbs. / pallet

C PALLET:
4 units / pallet
18 face sq. ft. / pallet
220 lbs. / sq. ft.
4,000 lbs. / pallet


LAYING PATTERNS




2' x 45' WALL - 90 sq. ft. (Uses 2 A Pallets, 2 B Pallets, & 1 C Pallet)



3' x 30' WALL - 90 sq. ft. (Uses 2 A Pallets, 2 B Pallets, & 1 C Pallet)



4' x 22 1/2' WALL - 90 sq. ft. (Uses 2 A Pallets, 2 B Pallets, & 1 C Pallet)



5' x 18' WALL - 90 sq. ft. (Uses 2 A Pallets, 2 B Pallets, & 1 C Pallet)

NOTES



WET-CAST
WARRANTY

CAP OPTIONS



IRREGULAR
STEPS

APPLICATIONS





WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

ROSETTA® OUTCROPPING CORNER

PALLET OVERVIEW



2 units / pallet
1,650 lbs. / pallet

SPECIFICATIONS




48" x 30" x 12"
1 unit / pallet



39" x 27" x 6"
1 unit / pallet

LAYING PATTERNS



To break the vertical bond,
alternate the direction of the
corners on each row when
possible.

NOTES



WET-CAST
WARRANTY

CAP OPTIONS



IRREGULAR
STEPS

APPLICATIONS




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

VERSA-LOK® STANDARD

PALLET OVERVIEW



24 units / pallet
16 sq. ft. / pallet
2 layers / pallet
2,100 lbs. / pallet


SPECIFICATIONS



16" x 12" x 6"
86 lbs. / unit
1.5 units / sq. ft.
8' minimum radius






*Weathered unit is
palletized the same.*



*Solid unit is
palletized the same.*

LAYING PATTERNS



NOTES



DRY-CAST
WARRANTY

CAP OPTIONS



C CAPS



C-2 CAPS



DOUBLE
BULLNOSE CAPS



DIMENSIONAL
COPING



LIMESTONE
COLUMN CAPS

APPLICATIONS



OUTDOOR
LIVING




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

VERSA-LOK® STANDARD

PALLET OVERVIEW






48 units / pallet
2 layers / pallet
2,100 lbs. / pallet


SPECIFICATIONS



HALF CORNER
8" x 12" x 6"
44 lbs. / unit



One pallet of half blocks will make
two 20" x 20" x 36" columns.




36 units / pallet
3 layers / pallet
2,280 lbs. / pallet



FULL RETURN CORNER
16" x 8" x 6"
63 lbs. / unit

**See above for column detail.*




To stay on half bond when installing a 90° outside corner,
alternate the direction of the full return corner block on
each row. Place masonry adhesive between corner
blocks for additional strength.

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.


VERSA-LOK® COBBLE

PALLET OVERVIEW



48 units / pallet
16 sq. ft. / pallet
2 layers / pallet
1,872 lbs. / pallet

SPECIFICATIONS




8" x 12" x 6"
38 lbs. / unit
3 units / sq. ft.
4.3' minimum radius




*Weathered unit is
palletized the same.*

LAYING PATTERNS



COBBLE PINNING DETAIL



NOTES



DRY-CAST
WARRANTY

CAP OPTIONS



C CAPS



C-2 CAPS



DOUBLE
BULLNOSE CAPS



DIMENSIONAL
COPING



LIMESTONE
COLUMN CAPS

APPLICATIONS



OUTDOOR
LIVING




WALLS &
COLUMNS


COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

VERSA-LOK® HARMONY

PALLET OVERVIEW



STANDARD
24 units / pallet
16 sq. ft. / pallet
2 layers / pallet
2,100 lbs. / pallet




COBBLE
48 units / pallet
16 sq. ft. / pallet
2 layers / pallet
1,872 lbs. / pallet

SPECIFICATIONS




STANDARD
16" x 12" x 6"
86 lbs. / unit
1.5 units / sq. ft.




COBBLE
8" x 12" x 6"
38 lbs. / unit
3 units / sq. ft.

HARMONY INSTALLATION RATIOS	1:1 RATIO: 1 Standard (66%) : 1 Cobble (33%) Total square feet of the wall is equal to how many of each unit you will need. • Example: 100 Sq. Ft. Wall 100 Standard Units 100 Cobble Units
	1:2 RATIO: 1 Standard (50%) : 2 Cobble (50%) Total square feet of the wall is divided in half. Multiply that number by 1.5 for Standards and 3 for Cobbles. • Example: 100 Sq. Ft. Wall: $100 \div 2 = 50$ $50 \times 1.5 = 75$ Standard Units $50 \times 3 = 150$ Cobble Units
	3:2 RATIO: 3 Standard (75%) : 2 Cobble (25%) Total square feet of the wall is divided by 2.66. Multiply that number by 3 for Standards and 2 for Cobbles. • Example: 100 Sq. Ft. Wall: $100 \div 2.66 = 37.6$ (38) $38 \times 3 = 114$ Standard Units $38 \times 2 = 76$ Cobble Units


LAYING PATTERNS




1:1 RATIO



1:2 RATIO



3:2 RATIO



NOTES



DRY-CAST
WARRANTY

CAP OPTIONS



C CAPS



C-2 CAPS



DOUBLE
BULLNOSE CAPS



DIMENSIONAL
COPING



LIMESTONE
COLUMN CAPS

APPLICATIONS



OUTDOOR
LIVING




WALLS &
COLUMNS


COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

VERSA-LOK® SQ. FT. BLOCK

PALLET OVERVIEW




24 units / pallet
24 sq. ft. / pallet
2 layers / pallet
2,256 lbs. / pallet



SQ. FT. CORNER
36 units / pallet
2 layers / pallet
1,730 lbs. / pallet



SPECIFICATIONS



18" x 12" x 8"
94 lbs. / unit
1 unit / sq. ft.
4.5' minimum radius

SQ. FT. CORNER
12" x 6" x 8"
48 lbs. / unit

LAYING PATTERNS



NOTES



DRY-CAST
WARRANTY

CAP OPTIONS



C CAPS



C-2 CAPS



DOUBLE
BULLNOSE CAPS



DIMENSIONAL
COPING

APPLICATIONS




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.


GEOSTONE

PALLET OVERVIEW



24 units / pallet
24 sq. ft. / pallet
2 layers / pallet
1,920 lbs. / pallet

SPECIFICATIONS






18" x 12" x 8"
80 lbs. / unit
1 unit / sq. ft.
1/2 cu. ft. / per core
4.5' minimum radius

CORNER DETAILS

A corner takes 1.5 blocks per course to make. The first block is split in half. Take care to make sure this split is made at exactly the halfway point so that the other half can be used on the next course's corner.

On the second block, measure all the way to the point where the inside of the core starts to make its turn. This is where a cut is necessary in order to fit snug against the machined edge of the other piece of the corner. The length of the piece to be cut off should be 3" (the same as the width of the split edge on the half block).



NOTES



DRY-CAST
WARRANTY

CAP OPTIONS



C CAPS



C-2 CAPS



DOUBLE
BULLNOSE CAPS



DIMENSIONAL
COPING

APPLICATIONS




WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.


MAGNUMSTONE®

STANDARD BLOCKS



BASE

Face Width: 48"
Back Width: 39"
Depth: 25"
Height: 24"
Weight/Unit: 1,295 Lbs.
Units/Pallet: 2
Volume Voids: 6.1 Ft.³
Face Area: 8 Sq. Ft.
Batter/Setback: 2.4°




STANDARD

Face Width: 48"
Back Width: 39"
Depth: 25"
Height: 24"
Weight/Unit: 1,270 Lbs.
Units/Pallet: 2
Volume Voids: 6.1 Ft.³
Face Area: 8 Sq. Ft.
Batter/Setback: 2.4°




TOP

Face Width: 48"
Back Width: 39"
Depth: 25"
Height: 24"
Weight/Unit: 1,220 Lbs.
Units/Pallet: 2
Volume Voids: 6.1 Ft.³
Face Area: 8 Sq. Ft.
Batter/Setback: 2.4°



HALF

Face Width: 24"
Back Width: 14.5"
Depth: 25"
Height: 24"
Weight/Unit: 730 Lbs.
Units/Pallet: 4
Face Area: 4 Sq. Ft.
Batter/Setback: 2.4°




UNIVERSAL END/CORNER

Front Width: 4"
Back Width: 9"
Depth: 28"
Height: 24"
Weight/Unit: 270 Lbs.
Units/Pallet: 2
Face Area: 4.66 Sq. Ft.


NOTE: Available with a slot on the back for use with extenders

HALF-HIGH BLOCKS




HALF-HIGH BASE

Face Width: 48"
Back Width: 39"
Depth: 25"
Height: 12"
Weight: 645 Lbs.
Units/Pallet: 2
Volume Voids: 3.15 Ft.³
Face Area: 4 Sq. Ft.




HALF-HIGH STANDARD

Face Width: 48"
Back Width: 39"
Depth: 25"
Height: 12"
Weight: 635 Lbs.
Units/Pallet: 2
Volume Voids: 3.15 Ft.³
Face Area: 4 Sq. Ft.




HALF-HIGH TOP

Face Width: 48"
Back Width: 39"
Depth: 25"
Height: 12"
Weight: 590 Lbs.
Units/Pallet: 2
Volume Voids: 3.15 Ft.³
Face Area: 4 Sq. Ft.



LEFT END/CORNER

Front Width: 4"
Back Width: 9"
Depth: 28"
Height: 12"
Weight: 128 Lbs.
Units/Pallet: 4
Face Area: 2.33 Sq. Ft.



RIGHT END/CORNER


Front Width: 4"
Back Width: 9"
Depth: 28"
Height: 12"
Weight: 128 Lbs.
Units/Pallet: 4
Face Area: 2.33 Sq. Ft.

NOTE: Select left & right units looking at the face of the wall

HALF-HIGH BLOCKS


EXTENDERS

STEP/CAP



HALF-HIGH BASE

Face Width: 48"
Back Width: 39"
Depth: 25"
Height: 12"
Weight: 645 Lbs.
Units/Pallet: 2
Volume Voids: 3.15 Ft.³
Face Area: 4 Sq. Ft.



HALF-HIGH STANDARD

Face Width: 48"
Back Width: 39"
Depth: 25"
Height: 12"
Weight: 635 Lbs.
Units/Pallet: 2
Volume Voids: 3.15 Ft.³
Face Area: 4 Sq. Ft.




2 FT. EXTENDER

Height: 24"
Depth: 24"
Back Width: 30"
Weight: 573 Lbs.



4 FT. EXTENDER

Height: 24"
Depth: 48"
Back Width: 30"
Weight: 800 Lbs.



STEP/CAP

Height: 6"
Depth: 24"
Width: 48"
Weight: 580 Lbs.
Face Area: 4 Ln. Ft.

NOTES

CAP OPTIONS

APPLICATIONS



WETCAST
WARRANTY



MAGNUMSTONE®
STEP/CAP




WALLS &
COLUMNS


COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.

MAGNUMSTONE®

CROSS SECTIONS



TYPICAL GRAVITY WALL USING EXTENDERS



TYPICAL GRAVITY WALL

NOTES



WET-CAST
WARRANTY

CAP OPTIONS



MAGNUMSTONE®
STEP/CAP

APPLICATIONS



WALLS &
COLUMNS

COLOR SWATCHES AVAILABLE AT LAMPUS.COM • ALL WEIGHTS ARE APPROXIMATE.